



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd
Hastings, FL 32145
Phone: (877) 922-5783

Received: 11/28/2022 @ 17.1 °C
Report ID: 2211A54

Sample ID: 2211A54-001 **Description:** RV112222-GA.1

AC.1a: AC by mass via AOAC 990.12 (Petrifilm™) Analyzed 11/28/22

Aerobic Plate Count	9,000	CFU/g
---------------------	-------	-------

CC.1a: CC by mass via AOAC 991.14, 998.03 (Petrifilm™) Analyzed 11/28/22

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

EC.1a: EC by mass via AOAC 991.14, 998.08 (Petrifilm™) Analyzed 11/28/22

Escherichia coli	< 100	CFU/g
------------------	-------	-------

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 12/02/22

Arsenic (As)	0.243	mg/kg (ppm)	Cadmium (Cd)	0.016	mg/kg (ppm)
Lead (Pb)	0.504	mg/kg (ppm)	Mercury (Hg)	0.016	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 11/30/22

7-Hydroxymitragynine	< 0.010	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.18	%	Mitraphylline	< 0.100	%
Paynantheine	0.193	%	Speciociliatine	0.383	%
Speciogynine	0.150	%	Total Alkaloids	1.91	%

Myco.1: Mycotoxins by LC-MS Analyzed 12/01/22

Aflatoxin B1	< 10	µg/kg (ppb)	Aflatoxin B2	< 10	µg/kg (ppb)
Aflatoxin G1	< 10	µg/kg (ppb)	Aflatoxin G2	< 10	µg/kg (ppb)
Ochratoxin A	< 20	µg/kg (ppb)			



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd
Hastings, FL 32145
Phone: (877) 922-5783

Received: 11/28/2022 @ 17.1 °C
Report ID: 2211A54

Sample ID: 2211A54-001 **Description:** RV112222-GA.1

Pest.1: Pesticides by LC/MS/MS (Agilent App - Determination of Pesticides and Mycotoxins) Analyzed 12/01/22

Abamectin (B1a + B1b)	< 50	µg/kg (ppb)	Acephate	< 25	µg/kg (ppb)
Acequinocyl	< 10	µg/kg (ppb)	Acetamiprid	< 10	µg/kg (ppb)
Aldicarb	< 10	µg/kg (ppb)	Azoxystrobin	< 10	µg/kg (ppb)
Bifenazate	< 50	µg/kg (ppb)	Bifenthrin	< 10	µg/kg (ppb)
Boscalid	< 50	µg/kg (ppb)	Carbaryl	< 50	µg/kg (ppb)
Carbofuran	< 25	µg/kg (ppb)	Chlorantraniliprole	< 25	µg/kg (ppb)
Chlorfenapyr	< 100	µg/kg (ppb)	Chlorpyrifos	< 25	µg/kg (ppb)
Clofentezine	< 10	µg/kg (ppb)	Coumaphos	< 10	µg/kg (ppb)
Cyfluthrin (Baythroid)	< 50	µg/kg (ppb)	Cypermethrin	296	µg/kg (ppb)
Daminozide	< 25	µg/kg (ppb)	Diazinon	< 10	µg/kg (ppb)
Dibrom (Naled)	< 50	µg/kg (ppb)	Dimethoate	< 25	µg/kg (ppb)
Dimethomorph	< 25	µg/kg (ppb)	Ethofenprox	< 10	µg/kg (ppb)
Ethoprophos (Prophos)	< 25	µg/kg (ppb)	Etoxazole	< 25	µg/kg (ppb)
Fenhexamid	< 50	µg/kg (ppb)	Fenoxycarb	< 10	µg/kg (ppb)
Fenpyroximate	< 25	µg/kg (ppb)	Fipronil	< 10	µg/kg (ppb)
Flonicamid	< 25	µg/kg (ppb)	Fludioxonil	< 25	µg/kg (ppb)
Hexythiazox	< 10	µg/kg (ppb)	Imazalil	< 50	µg/kg (ppb)
Imidacloprid	< 10	µg/kg (ppb)	Kresoxim Methyl	< 10	µg/kg (ppb)
Malathion	< 100	µg/kg (ppb)	Metalaxyl	< 25	µg/kg (ppb)
Methiocarb	< 50	µg/kg (ppb)	Methomyl	< 25	µg/kg (ppb)
Oxamyl	< 10	µg/kg (ppb)	Paclobutrazol	< 25	µg/kg (ppb)
Permethrins	< 10	µg/kg (ppb)	Phosdrin (Mevinphos)	< 50	µg/kg (ppb)
Phosmet	< 10	µg/kg (ppb)	Piperonyl Butoxide	< 10	µg/kg (ppb)
Prallethrin	< 25	µg/kg (ppb)	Propiconazol	< 25	µg/kg (ppb)
Propoxur	< 100	µg/kg (ppb)	Pyrethrins	< 50	µg/kg (ppb)
Pyridaben	< 10	µg/kg (ppb)	Spinetoram	< 25	µg/kg (ppb)
Spinosad A	< 10	µg/kg (ppb)	Spinosad D	< 50	µg/kg (ppb)
Spiromesifen	< 25	µg/kg (ppb)	Spirotetramat	< 25	µg/kg (ppb)
Spiroxamine	< 100	µg/kg (ppb)	Systhane (Myclobutanil)	< 50	µg/kg (ppb)
Tebuconazol (Folicur)	< 25	µg/kg (ppb)	Thiacloprid	< 25	µg/kg (ppb)
Thiamethoxam	< 25	µg/kg (ppb)	Trifloxystrobin	< 10	µg/kg (ppb)

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 11/28/22

Salmonella spp. Negative /25 g

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 11/28/22

Staphylococcus aureus < 100 CFU/g

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 11/28/22

Shiga toxin-producing E. coli Negative /25 g

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 11/28/22

Yeast and Mold 100 CFU/g



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd
Hastings, FL 32145
Phone: (877) 922-5783

Received: 11/28/2022 @ 17.1 °C
Report ID: 2211A54

Reported By:  Ryan Connelly, Chemistry Laboratory Manager, 12/7/2022