



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 4/19/2023 @ 19.1 °C
Report ID: 2304703

Sample ID: 2304703-013 **Description:** GV033123-H.8

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 04/19/23

Aerobic Plate Count	1,100	CFU/g
---------------------	-------	-------

CC.1a: CC by mass via AOAC 991.14, 998.03 (Petrifilm™) Analyzed 04/19/23

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

EC.1a: EC by mass via AOAC 991.14, 998.08 (Petrifilm™) Analyzed 04/19/23

Escherichia coli	< 100	CFU/g
------------------	-------	-------

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 04/25/23

Arsenic (As)	0.303	mg/kg (ppm)	Cadmium (Cd)	0.020	mg/kg (ppm)
Lead (Pb)	0.799	mg/kg (ppm)	Mercury (Hg)	0.013	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 04/20/23

7-Hydroxymitragynine	< 0.010	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.09	%	Mitraphylline	< 0.100	%
Paynantheine	0.186	%	Speciociliatine	0.413	%
Speciogynine	0.128	%	Total Alkaloids	1.82	%

Myc.1: Mycotoxins by LC-MS Analyzed 04/24/23

Aflatoxin B1	< 10	µg/kg (ppb)	Aflatoxin B2	< 10	µg/kg (ppb)
Aflatoxin G1	< 10	µg/kg (ppb)	Aflatoxin G2	< 10	µg/kg (ppb)
Ochratoxin A	< 20	µg/kg (ppb)			



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 4/19/2023 @ 19.1 °C
Report ID: 2304703

Sample ID: 2304703-013 **Description:** GV033123-H.8

Pest.1: Pesticides by LC/MS/MS (Agilent App - Determination of Pesticides and Mycotoxins) Analyzed 04/24/23

Abamectin (B1a + B1b)	< 50	µg/kg (ppb)	Acephate	< 25	µg/kg (ppb)
Acequinocyl	< 10	µg/kg (ppb)	Acetamiprid	< 10	µg/kg (ppb)
Aldicarb	< 10	µg/kg (ppb)	Azoxystrobin	< 10	µg/kg (ppb)
Bifenazate	< 50	µg/kg (ppb)	Bifenthrin	< 10	µg/kg (ppb)
Boscalid	< 50	µg/kg (ppb)	Carbaryl	< 50	µg/kg (ppb)
Carbofuran	< 25	µg/kg (ppb)	Chlorantraniliprole	< 25	µg/kg (ppb)
Chlorfenapyr	< 100	µg/kg (ppb)	Chlorpyrifos	< 25	µg/kg (ppb)
Clofentezine	< 10	µg/kg (ppb)	Coumaphos	< 10	µg/kg (ppb)
Cyfluthrin (Baythroid)	< 50	µg/kg (ppb)	Cypermethrin	1,170	µg/kg (ppb)
Daminozide	< 25	µg/kg (ppb)	Diazinon	< 10	µg/kg (ppb)
Dibrom (Naled)	< 50	µg/kg (ppb)	Dimethoate	< 25	µg/kg (ppb)
Dimethomorph	< 25	µg/kg (ppb)	Ethofenprox	< 10	µg/kg (ppb)
Ethoprophos (Prophos)	< 25	µg/kg (ppb)	Etoxazole	< 25	µg/kg (ppb)
Fenhexamid	< 50	µg/kg (ppb)	Fenoxycarb	< 10	µg/kg (ppb)
Fenpyroximate	< 25	µg/kg (ppb)	Fipronil	< 10	µg/kg (ppb)
Flonicamid	< 25	µg/kg (ppb)	Fludioxonil	< 25	µg/kg (ppb)
Hexythiazox	< 10	µg/kg (ppb)	Imazalil	< 50	µg/kg (ppb)
Imidacloprid	< 10	µg/kg (ppb)	Kresoxim Methyl	< 10	µg/kg (ppb)
Malathion	< 100	µg/kg (ppb)	Metalaxyl	< 25	µg/kg (ppb)
Methiocarb	< 50	µg/kg (ppb)	Methomyl	< 25	µg/kg (ppb)
Oxamyl	< 10	µg/kg (ppb)	Paclobutrazol	< 25	µg/kg (ppb)
Permethrins	< 10	µg/kg (ppb)	Phosdrin (Mevinphos)	< 50	µg/kg (ppb)
Phosmet	< 10	µg/kg (ppb)	Piperonyl Butoxide	< 10	µg/kg (ppb)
Prallethrin	< 25	µg/kg (ppb)	Propiconazol	< 25	µg/kg (ppb)
Propoxur	< 50	µg/kg (ppb)	Pyrethrins	< 50	µg/kg (ppb)
Pyridaben	< 10	µg/kg (ppb)	Spinetoram	< 25	µg/kg (ppb)
Spinosad A	< 10	µg/kg (ppb)	Spinosad D	< 50	µg/kg (ppb)
Spiromesifen	< 25	µg/kg (ppb)	Spirotetramat	< 25	µg/kg (ppb)
Spiroxamine	< 50	µg/kg (ppb)	Systhane (Myclobutanil)	< 50	µg/kg (ppb)
Tebuconazol (Folicur)	< 25	µg/kg (ppb)	Thiacloprid	< 25	µg/kg (ppb)
Thiamethoxam	< 25	µg/kg (ppb)	Trifloxystrobin	< 10	µg/kg (ppb)

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 04/19/23

Salmonella spp. Negative /25 g

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 04/19/23

Staphylococcus aureus < 100 CFU/g

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 04/19/23

Shiga toxin-producing E. coli Negative /25 g

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 04/19/23


Yeast and Mold < 100 CFU/g



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 4/19/2023 @ 19.1 °C
Report ID: 2304703

Reported By:  Ryan Connelly, Chemistry Laboratory Manager, 4/25/2023

