



# Certificate of Analysis for

Club 13 Enterprises  
8165 State Rd 207  
Hastings, FL 32145  
Phone: (877) 922-5783

Received: 5/21/2024 @ 21.8 °C  
Report ID: 2405958

**Sample ID:** 2405958-002 KSR-008

**ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 05/23/24**

Aerobic Plate Count	< 10	CFU/g
---------------------	------	-------

**CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 05/23/24**

Total Coliform Bacteria	< 10	CFU/g
-------------------------	------	-------

**ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 05/23/24**

Escherichia coli	< 10	CFU/g
------------------	------	-------

**ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 05/29/24**

Arsenic (As)	< 0.020	mg/kg (ppm)	Cadmium (Cd)	< 0.010	mg/kg (ppm)
Lead (Pb)	0.007	mg/kg (ppm)	Mercury (Hg)	< 0.005	mg/kg (ppm)

**MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 05/28/24**

7-Hydroxymitragynine	< 0.100	mg/g	Isorhynchophylline	< 0.100	mg/g
Mitragynine	10.8	mg/g	Mitraphylline	< 0.100	mg/g
Paynantheine	2.17	mg/g	Speciociliatine	1.99	mg/g
Speciogynine	1.31	mg/g	Total Alkaloids	16.2	mg/g

**ResSolv.1: Residual Solvents by Headspace GC/MS (VF-624MS) Analyzed 05/24/24**

1,2-Dichloroethane	< 2	mg/kg (ppm)	2-Propanol	< 50	mg/kg (ppm)
Acetone	< 50	mg/kg (ppm)	Acetonitrile	< 50	mg/kg (ppm)
Benzene	< 2	mg/kg (ppm)	Chloroform	< 50	mg/kg (ppm)
Cyclohexane	< 50	mg/kg (ppm)	Diethyl ether	< 50	mg/kg (ppm)
Ethanol	< 50	mg/kg (ppm)	Ethyl Acetate	< 50	mg/kg (ppm)
Heptane	< 50	mg/kg (ppm)	Hexane	< 50	mg/kg (ppm)
Methanol	< 50	mg/kg (ppm)	Methylene Chloride	< 50	mg/kg (ppm)
N,N-Dimethylformamide	< 10	mg/kg (ppm)	Pentane	< 50	mg/kg (ppm)
Toluene	< 50	mg/kg (ppm)	Trichloroethene	< 50	mg/kg (ppm)
Xylenes (p-, m-, o-)	< 50	mg/kg (ppm)			

**Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 05/23/24**

Salmonella spp.	Negative	/10 g
-----------------	----------	-------

**STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 05/23/24**

Staphylococcus aureus	< 10	CFU/g
-----------------------	------	-------

**STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 05/23/24**

Shiga toxin-producing E. coli	Negative	/10 g
-------------------------------	----------	-------

**YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 05/23/24**


Yeast and Mold	< 10	CFU/g
----------------	------	-------



## Certificate of Analysis for

Club 13 Enterprises  
8165 State Rd 207  
Hastings, FL 32145  
Phone: (877) 922-5783

Received: 5/21/2024 @ 21.8 °C  
Report ID: 2405958

Reported By:  Ryan Connelly, Chemistry Laboratory Manager, 5/29/2024

