

**Certificate of Analysis for**

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 11/20/2023 @ 17.4 °C
Report ID: 2311870

Sample ID: 2311870-002 S3V4103023.3**ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 11/20/23**

Aerobic Plate Count	600	CFU/g
---------------------	-----	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 11/20/23

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 11/20/23

Escherichia coli	< 100	CFU/g
------------------	-------	-------

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 11/22/23

Arsenic (As)	0.250	mg/kg (ppm)	Cadmium (Cd)	0.019	mg/kg (ppm)
Lead (Pb)	0.457	mg/kg (ppm)	Mercury (Hg)	0.018	mg/kg (ppm)

List.2: Listeria spp. via AOAC 121803 (Gene-Up® PCR) Analyzed 11/21/23

Listeria spp.	Negative	/10 g
---------------	----------	-------

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 11/21/23

7-Hydroxymitragynine	< 0.010	%	Isorhynchophylline	< 0.100	%
Mitragynine	0.706	%	Mitraphylline	< 0.100	%
Paynantheine	0.114	%	Speciociliatine	0.278	%
Speciogyneine	0.089	%	Total Alkaloids	1.19	%

Myc.1: Mycotoxins by LC-MS Analyzed 11/21/23

Aflatoxin B1	< 10	µg/kg (ppb)	Aflatoxin B2	< 10	µg/kg (ppb)
Aflatoxin G1	< 10	µg/kg (ppb)	Aflatoxin G2	< 10	µg/kg (ppb)
Ochratoxin A	< 20	µg/kg (ppb)			



Certificate of Analysis for

Club 13 Enterprises

8165 State Rd 207

Hastings, FL 32145

Phone: (877) 922-5783

Received: 11/20/2023 @ 17.4 °C

Report ID: 2311870

Sample ID: 2311870-002 S3V4103023.3

Pest.1: Pesticides by LC/MS/MS (Agilent App - Determination of Pesticides and Mycotoxins) Analyzed 11/21/23

Abamectin (B1a + B1b)	< 50	µg/kg (ppb)	Acephate	< 25	µg/kg (ppb)
Acequinocyl	< 10	µg/kg (ppb)	Acetamiprid	< 10	µg/kg (ppb)
Aldicarb	< 25	µg/kg (ppb)	Azoxystrobin	< 10	µg/kg (ppb)
Bifenazate	< 50	µg/kg (ppb)	Bifenthrin	< 10	µg/kg (ppb)
Boscalid	< 50	µg/kg (ppb)	Carbaryl	< 50	µg/kg (ppb)
Carbofuran	< 25	µg/kg (ppb)	Chlorantraniliprole	< 25	µg/kg (ppb)
Chlorfenapyr	< 100	µg/kg (ppb)	Chlorpyrifos	< 10	µg/kg (ppb)
Clofentezine	< 10	µg/kg (ppb)	Coumaphos	< 10	µg/kg (ppb)
Cyfluthrin (Baythroid)	< 50	µg/kg (ppb)	Cypermethrin	< 50	µg/kg (ppb)
Daminozide	< 25	µg/kg (ppb)	Diazinon	< 10	µg/kg (ppb)
Dibrom (Naled)	< 50	µg/kg (ppb)	Dimethoate	< 25	µg/kg (ppb)
Dimethomorph	< 25	µg/kg (ppb)	Ethofenprox	< 10	µg/kg (ppb)
Ethoprophos (Prophos)	< 25	µg/kg (ppb)	Etoxazole	< 25	µg/kg (ppb)
Fenhexamid	< 50	µg/kg (ppb)	Fenoxycarb	< 10	µg/kg (ppb)
Fenpyroximate	< 25	µg/kg (ppb)	Fipronil	< 10	µg/kg (ppb)
Flonicamid	< 25	µg/kg (ppb)	Fludioxonil	< 25	µg/kg (ppb)
Hexythiazox	< 10	µg/kg (ppb)	Imazalil	< 50	µg/kg (ppb)
Imidacloprid	< 10	µg/kg (ppb)	Kresoxim Methyl	< 10	µg/kg (ppb)
Malathion	< 100	µg/kg (ppb)	Metalaxyl	< 25	µg/kg (ppb)
Methiocarb	< 50	µg/kg (ppb)	Methomyl	< 25	µg/kg (ppb)
Oxamyl	< 10	µg/kg (ppb)	Paclobutrazol	< 25	µg/kg (ppb)
Permethrins	< 10	µg/kg (ppb)	Phosdrin (Mevinphos)	< 50	µg/kg (ppb)
Phosmet	< 10	µg/kg (ppb)	Piperonyl Butoxide	< 10	µg/kg (ppb)
Prallethrin	< 25	µg/kg (ppb)	Propiconazol	< 25	µg/kg (ppb)
Propoxur	< 50	µg/kg (ppb)	Pyrethrins	< 50	µg/kg (ppb)
Pyridaben	< 10	µg/kg (ppb)	Spinetoram	< 25	µg/kg (ppb)
Spinosad A	< 10	µg/kg (ppb)	Spinosad D	< 50	µg/kg (ppb)
Spiromesifen	< 25	µg/kg (ppb)	Spirotetramat	< 25	µg/kg (ppb)
Spiroxamine	< 100	µg/kg (ppb)	Systhane (Myclobutanil)	< 50	µg/kg (ppb)
Tebuconazol (Folicur)	< 25	µg/kg (ppb)	Thiacloprid	< 25	µg/kg (ppb)
Thiamethoxam	< 25	µg/kg (ppb)	Trifloxystrobin	< 10	µg/kg (ppb)

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR)
Analyzed 11/20/23

Salmonella spp.	Negative	/10 g
-----------------	----------	-------

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 11/20/23

Staphylococcus aureus	< 100	CFU/g
-----------------------	-------	-------

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 11/20/23

Shiga toxin-producing E. coli	Negative	/10 g
-------------------------------	----------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 11/20/23

Yeast and Mold	< 100	CFU/g
----------------	-------	-------



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 11/20/2023 @ 17.4 °C
Report ID: 2311870

Reported By:  Ryan Connelly, Chemistry Laboratory Manager, 11/24/2023

