

**Certificate of Analysis for**

Club 13 Enterprises  
8165 State Rd 207  
Hastings, FL 32145  
Phone: (877) 922-5783

Received: 4/3/2024 @ 22.8 °C  
Report ID: 2404162

**Sample ID:** 2404162-001 S1V3040224.1

**ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 04/03/24**

Aerobic Plate Count	310,000	CFU/g
---------------------	---------	-------

**CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 04/03/24**

Total Coliform Bacteria	2,000	CFU/g
-------------------------	-------	-------

**ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 04/03/24**

Escherichia coli	< 100	CFU/g
------------------	-------	-------

**ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 04/08/24**

Arsenic (As)	0.291	mg/kg (ppm)	Cadmium (Cd)	0.022	mg/kg (ppm)
Lead (Pb)	0.914	mg/kg (ppm)	Mercury (Hg)	0.019	mg/kg (ppm)

**MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 04/05/24**

7-Hydroxymitragynine	< 0.010	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.18	%	Mitraphylline	< 0.100	%
Paynantheine	0.258	%	Speciociliatine	0.306	%
Speciogynine	0.173	%	Total Alkaloids	1.91	%

**Myc.1: Mycotoxins by LC-MS Analyzed 04/08/24**

Aflatoxin B1	< 10	µg/kg (ppb)	Aflatoxin B2	< 10	µg/kg (ppb)
Aflatoxin G1	< 10	µg/kg (ppb)	Aflatoxin G2	< 10	µg/kg (ppb)
Ochratoxin A	< 20	µg/kg (ppb)			



# Certificate of Analysis for

Club 13 Enterprises

8165 State Rd 207

Hastings, FL 32145

Phone: (877) 922-5783

Received: 4/3/2024 @ 22.8 °C

Report ID: 2404162

**Sample ID:** 2404162-001 S1V3040224.1

**Pest.1: Pesticides by LC/MS/MS (Agilent App - Determination of Pesticides and Mycotoxins) Analyzed 04/08/24**

Abamectin (B1a + B1b)	< 50	µg/kg (ppb)	Acephate	< 25	µg/kg (ppb)
Acequinocyl	< 25	µg/kg (ppb)	Acetamiprid	< 10	µg/kg (ppb)
Aldicarb	< 10	µg/kg (ppb)	Azoxystrobin	< 10	µg/kg (ppb)
Bifenazate	< 50	µg/kg (ppb)	Bifenthrin	< 10	µg/kg (ppb)
Boscalid	< 50	µg/kg (ppb)	Carbaryl	< 50	µg/kg (ppb)
Carbofuran	< 25	µg/kg (ppb)	Chlorantraniliprole	< 25	µg/kg (ppb)
Chlorfenapyr	< 100	µg/kg (ppb)	Chlorpyrifos	< 10	µg/kg (ppb)
Clofentezine	< 10	µg/kg (ppb)	Coumaphos	< 10	µg/kg (ppb)
Cyfluthrin (Baythroid)	< 50	µg/kg (ppb)	Cypermethrin	< 50	µg/kg (ppb)
Daminozide	< 25	µg/kg (ppb)	Diazinon	< 10	µg/kg (ppb)
Dibrom (Naled)	< 50	µg/kg (ppb)	Dimethoate	< 25	µg/kg (ppb)
Dimethomorph	< 25	µg/kg (ppb)	Ethofenprox	< 10	µg/kg (ppb)
Ethoprophos (Prophos)	< 25	µg/kg (ppb)	Etoxazole	< 25	µg/kg (ppb)
Fenhexamid	< 50	µg/kg (ppb)	Fenoxycarb	< 10	µg/kg (ppb)
Fenpyroximate	< 25	µg/kg (ppb)	Fipronil	< 10	µg/kg (ppb)
Fonicamid	< 25	µg/kg (ppb)	Fludioxonil	< 25	µg/kg (ppb)
Hexythiazox	< 10	µg/kg (ppb)	Imazalil	< 50	µg/kg (ppb)
Imidacloprid	< 10	µg/kg (ppb)	Kresoxim Methyl	< 10	µg/kg (ppb)
Malathion	< 100	µg/kg (ppb)	Metalaxyl	< 25	µg/kg (ppb)
Methiocarb	< 50	µg/kg (ppb)	Methomyl	< 25	µg/kg (ppb)
Oxamyl	< 10	µg/kg (ppb)	Paclobutrazol	< 25	µg/kg (ppb)
Permethrins	< 10	µg/kg (ppb)	Phosdrin (Mevinphos)	< 50	µg/kg (ppb)
Phosmet	< 10	µg/kg (ppb)	Piperonyl Butoxide	< 10	µg/kg (ppb)
Prallethrin	< 25	µg/kg (ppb)	Propiconazol	< 25	µg/kg (ppb)
Propoxur	< 50	µg/kg (ppb)	Pyrethrins	< 50	µg/kg (ppb)
Pyridaben	< 10	µg/kg (ppb)	Spinetoram	< 25	µg/kg (ppb)
Spinosad A	< 10	µg/kg (ppb)	Spinosad D	< 50	µg/kg (ppb)
Spiromesifen	< 25	µg/kg (ppb)	Spirotetramat	< 25	µg/kg (ppb)
Spiroxamine	< 100	µg/kg (ppb)	Systhane (Myclobutanil)	< 50	µg/kg (ppb)
Tebuconazol (Folicur)	< 25	µg/kg (ppb)	Thiacloprid	< 25	µg/kg (ppb)
Thiamethoxam	< 25	µg/kg (ppb)	Trifloxystrobin	< 10	µg/kg (ppb)

**Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR)**
**Analyzed 04/03/24**

Salmonella spp. Negative /25 g

**STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 04/03/24**

Staphylococcus aureus &lt; 100 CFU/g

**STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 04/03/24**

Shiga toxin-producing E. coli Negative /25 g

**YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 04/03/24**


Yeast and Mold 100,000 CFU/g



## Certificate of Analysis for

Club 13 Enterprises  
8165 State Rd 207  
Hastings, FL 32145  
Phone: (877) 922-5783

Received: 4/3/2024 @ 22.8 °C  
Report ID: 2404162

Reported By:  Ryan Connelly, Chemistry Laboratory Manager, 4/9/2024

