



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 5/1/2024 @ 23.4 °C
Report ID: 2405043

Sample ID: 2405043-002 S9V1040124.5

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 05/01/24

Aerobic Plate Count	3,600	CFU/g
---------------------	-------	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 05/01/24

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 05/01/24

Escherichia coli	< 100	CFU/g
------------------	-------	-------

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 05/03/24

Arsenic (As)	0.119	mg/kg (ppm)	Cadmium (Cd)	0.017	mg/kg (ppm)
Lead (Pb)	0.601	mg/kg (ppm)	Mercury (Hg)	0.018	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 05/06/24

7-Hydroxymitragynine	< 0.010	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.46	%	Mitraphylline	< 0.100	%
Paynantheine	0.339	%	Speciociliatine	0.392	%
Speciogynine	0.215	%	Total Alkaloids	2.41	%

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 05/01/24

Salmonella spp.	Negative	/25 g
-----------------	----------	-------

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 05/01/24

Staphylococcus aureus	< 100	CFU/g
-----------------------	-------	-------

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 05/01/24

Shiga toxin-producing E. coli	Negative	/25 g
-------------------------------	----------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 05/01/24

Yeast and Mold	100	CFU/g
----------------	-----	-------

Reported By:

Ryan Connelly, Chemistry Laboratory Manager, 5/7/2024